



Multimedia WiFi speakers kit:
1pc KEYROUND16AF speaker with built-in Keysol
1pc ROUND16F

SPECIFICATIONS

n. 01 - KEYROUND16AF MASTER

round MASTER speaker, Frameless design series, semi-flush wall, recessed ceiling.

ACTIVE, 2-way, 2x30W RMS, HI-FI, **with built-in multimedia player WiFi** [Vivaldi WIFI KEYSOL \(black version con Bluetooth\)](#).

Network LAN port for connection (RJ45).

1 auxiliary stereo RCA input for external source.

1 power output for SLAVE speaker (30W RMS).

System power supply 24V, 2.5A (included).

Woofer 16.5 cm.

Titanium adjustable dome tweeter with neodymium magnet 1.9 cm

RMS Power 2x30W

Musical Power 2x60W

Frequency response 60-20000 Hz

Sensitivity 90 dB

Dispersion angle 120° (V / H)

ABS V0 cabinet with painted galvanized protection grille.

Working temperature from -20° to +65°.

Size (DxD) 227x100 mm

Built-in hole (D) 210 mm

Weight 1,8 Kg

n. 01 - ROUND16F SLAVE

Round speaker, 2-way in-ceiling, **HI-FI, Frameless**

Impedance: 8 Ω

Recessed on drywall, wood walls and similar: no accessories need, the speaker is provided with some hooks for stable anchoring in the rear side.

Installation in-wall: not suitable

Colour white RAL 9016, paintable (see [Vivaldi WIFI KEYROUND16AF.R](#)).

ABS V0 cabinet with painted galvanized grille.

Working temperature from -20° to +65°

Vivaldi srl ongoing effort to improve its products, reserves the right to make technical and aesthetic changes effectively without obligation to notice








Images

Vivaldi WIFI KEYROUND16AF



VIVALDI



Vivaldi srl

Via E. Fermi, 8 Z.I. EST - 30020 Noventa di Piave (Venezia) ITALIA
Tel. +39 0421 307825 - info@vivaldigroup.it - www.vivaldigroup.it
P.IVA e C.F. 02880360272